



4-CHANNEL VS CHAIN HOIST MCC

PRODUCT DESCRIPTION:

The Raynok 4 Channel Variable Speed Chain Hoist MCC contains 4 inverter drives for controlling the speed of a wide variety of chain hoists. This MCC, when combined with Raynok designed encoders, is capable of controlling the hoist from 0 to 50/60Hz with full torque at 0% speed.

The MCC can be configured for 2, 3 or 4 drives. Single drive models are also available with similar attributes in a smaller package.

PRODUCT SPECIFICATIONS:

• Input Power:	200-230 / 400-480, 3-Phase, 50/60Hz (Specify at the time of ordering)
• Maximum Input Current:	60A @ 230V, 30A @ 480V
• # of Controlled Axis:	4 variable speed induction or servo (on special order)
• Motor Overload Protection:	Provided by drive
• Encoder Types accepted:	TTL, HTL, SIN/COS, SSI Grey Code
• Output Branch Protection:	Fuses in finger-safe holders
• E-Stop:	System connection on front face
• Motion Controller:	4 each SN102J
• Dimensions & Weight:	24"W x 36"H x 10" D (600 x 900 x 250mm), 150lbs/68kg
• Mounting:	4 points in backpan
• Colour:	Box-RAL7035 / Controller-Matte Black
• Approvals:	CSA/US Field Evaluation

